


Measuring Chart (hospital)

medi


RAL Compression Class 1 mediven® elegance | mediven® plus | mediven® for men | mediven active

RAL Compression Class 2 mediven® elegance | mediven® plus | mediven® for men | mediven active

RAL Compression Class 3 mediven® plus



Thigh length, thigh with waist attachment



Below knee stocking/sock

Circumference (cm)		I	II	III	IV	V	VI	VII
Sizes								
Thigh with silicone topband	cG	43-48	45-52	49-56	53-60	56-64	60-68	64-72
Thigh extra wide with silicone topband	cG	49-57	53-62	57-67	61-72	65-77	69-81	73-85
Thigh no silicone topband & pantyhose/tights	cG	43-57	45-62	49-67	53-72	56-77	60-81	64-85
Below knee	cD	27-33	29-36	32-39	34-42	36-45	38-48	40-50
Calf extra wide—only available in mediven plus below knee	cC	34-38	37-41	40-44	42-46	44-48	46-50	48-52
Calf	cC	28-34	30-37	33-40	35-43	37-46	39-49	41-51
Ankle	cB	18-20	20-22	22-24	24-26	26-28	28-30	30-32


Length (cm)		
Style	Petite	Regular
A-D calf stocking/sock	34-38	39-44
mediven active only A-D calf sock	37-42	43-49
A-G thigh stocking	62-71	72-83
A-T pantyhose/tights (A-panty crotch)	62-71	72-83

See tips for measuring on reverse


Measuring Chart—Tips for measuring

medi

Thigh length & below knee garments



Thigh length, thigh with waist attachment



Below knee stocking/sock

Thigh length garments:

- 1) Measure (B) and (C) as for below knee garments (see below) and take an additional circumference measurement at (G) (thigh at point where top of garment will be).
- 2) Measure the length from the heel to 4 fingers width down from the gluteal fold, this determines whether the patient requires a standard or petite length garment.

Example of how to measure:

Circumference B = 24cm, circumference C = 40cm, therefore could be a size III (3) or IV (4):

Circumference (cm)				
Sizes	II	III	IV	V
cC	30-37	33-40	35-43	37-46
cB	20-22	22-24	24-26	26-28

If the measurements fall between two sizes use your clinical judgement for each patient.

Below knee garments:

- 1) Measure the circumference at the narrowest part of the ankle (B).
- 2) Measure the circumference at the widest part of the calf (C).
- 3) Measure the length of the limb at the back of the heel (flat on the floor) to a point 2 finger widths down from the knee flexure.

Order codes and PIP codes:

Please refer to Formulary Guide or website (www.mediuk.co.uk) for order and PIP Codes